


## Uponor Ecoflex house connection elbow Twin 2x63x5,8/200

1118775

- For Ecoflex twin carrier pipe systems
- Pre-insulated PE-Xa pipe elbow
- Two medium pipes PE-Xa
- Max. load 6 bar / 80°C
- PUR foam, PE casing



### About Uponor Ecoflex house connection elbow Twin

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex house connection elbow Twin 2x63x5,8/200

1118775



### Product code

Item no EAN 6414905552252

Item no GTIN 06414905552252

### Dimensions

Item Unit Height 200

Item Unit Length 1400

Item Unit Weight 11,73

Item Unit Width 1100

Item\_UOM pce

### Measurements

LENGTH\_L 900

Length (l1) 200

Length (l2) 1200

Length (l3) 200

Outer Diameter\_do 200

Outer Diameter\_do1 63

Wall thickness\_s1 5,8

### Status

MTO (longer delivery times)

Item available on request, minimum lead time 2 weeks

### Packaging

Packaging GTIN PL1 06414905631025

Packaging Height PL1 200

Packaging Length PL1 1400

Packaging Quantity PL1 1

Packaging Type PL1 Piece

Packaging Volume PL1 0,308

Packaging Weight PL1 11,73

Packaging Width PL1 1100

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com