


Uponor Ecoflex house connection elbow Twin 2x75x6,8/250

1118776

- For Ecoflex twin carrier pipe systems
- Pre-insulated PE-Xa pipe elbow
- Two medium pipes PE-Xa
- Max. load 6 bar / 80°C
- PUR foam, PE casing



About Uponor Ecoflex house connection elbow Twin

Specification

- All accessories are corrosion resistant.

Application

- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex house connection elbow Twin 2x75x6,8/250

1118776



Product code

Item no EAN 6414905552269

Item no GTIN 06414905552269

Dimensions

Item Unit Height 250

Item Unit Length 1400

Item Unit Weight 16,25

Item Unit Width 1100

Item_UOM pce

Measurements

LENGTH_L 900

Length (l1) 200

Length (l2) 1200

Length (l3) 200

Outer Diameter_do 250

Outer Diameter_do1 75

Wall thickness_s1 6,8

Packaging

Packaging GTIN PL1 06414905631032

Packaging Height PL1 250

Packaging Length PL1 1400

Packaging Quantity PL1 1

Packaging Type PL1 Piece

Packaging Volume PL1 0,385

Packaging Weight PL1 16,25

Packaging Width PL1 1100

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb