
# Product data sheet



# GF Uponor Ecoflex VIP Aqua Pipe Twin 40x5,5-25x3,5/140

## 1119055

- Warm tap water
- One medium pipe PE-Xa, SDR 7,4
- Max. load 10 bar / 70°C
- Coloured centre profile to identify flow and return lines
- VIP + PEX foam, HDPE casing




## About GF Uponor Ecoflex VIP Aqua Pipe Twin

### Specification

- Flexible, pre-insulated, self-compensating plastic pipe system.
- Medium pipe: cross-linked polyethylene (PE-Xa) manufactured to BS EN ISO 15875, natural coloured, PN 10 (SDR 7,4)
- Insulating material: Revolutionary VIP technology with extremely low lambda value in combination with permanently elastic closed-cell PE-X foam.
- Casing pipe: UV stabilised, corrugated polyethylene (HDPE)
- Twin pipe: colour coded identification to identify supply and return lines

### Application

- Buried installations for the transport of warm tap water
- Tap water operating temperature 70°C based on BS EN ISO 15875
- Malfunction temperature 95°C
- Static verification for heavy traffic load of 60 tons


### Certification

UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

# GF Uponor Ecoflex VIP Aqua Pipe Twin 40x5,5-25x3,5/140

## 1119055




### Measurements

| | |
|---|---|
| Bending radius M | 0,9 |
| Outer Diameter_do | 140 |
| Outer Diameter_do1 | 40 |
| Outer Diameter_do2 | 25 |
| Wall thickness_s1 | 5,5 |
| Wall thickness_s2 | 3,5 |

### Status

| | |
|---|---|
| Item Available Till date | 2027-06-30T00:00:00.000+0200 |

### Product code

| | |
|---|---|
| Item no EAN | 6414905556373 |
| Item no GF | 35001119055 |
| Item no GTIN | 06414905556373 |
| Item no LVI | 3010301 |
| Item no NRF | 8360973 |
| Item no RSK | 2266381 |
| Item no VVS | 087364240 |
| Item Replacement 1 | 1160624 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 140 |
| Item Unit Length | 1000 |
| Item Unit Weight | 2,18 |
| Item Unit Width | 140 |
| Item_UOM | m |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414905557943 |

| | |
|---|---|
| Packaging Height PL1 | 2200 |
| Packaging Length PL1 | 2200 |
| Packaging Quantity PL1 | 200 |
| Packaging Type PL1 | Coil |
| Packaging Volume PL1 | 7,26 |
| Packaging Weight PL1 | 436,1 |
| Packaging Width PL1 | 1500 |

## Technical documents

Download documents here

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**




**Uponor UK**

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb


+GF+