Product data sheet



GF Uponor Q&E expansion tool with heads M12/ 16RS/20/25 6bar UK

1119377

- Electromechanical driving machine, delivered in a plastic case including two 12V Li-ion rechargeable batteries, quick charger 220-240V/50-60Hz, and lubricant (Mo).
- Metal gearbox and metal housing. Incl. LED working light.
- Instruction manual in the case. Automatic rotation with M12 / M12 Rapid Seal expanding heads.
- 16mm Rapid seal head
- 6 bar pipes Max. head size 32 mm.
- 10 bar pipes Max. head size 25 mm.

- Technical data:
- Charging voltage: 12 V
- Charge level display: Optical display
- Battery charging time: approx. 0.5 hrs.
- For dimensions: <= 32 mm (AK5/6 bar), <= 25 mm (AK2/10 bar)



About GF Uponor Q&E expansion tool with heads M12/

Specification

Spezifikation:
- Q&E Fittings und Sicherungsringe für Uponor PE-Xa Rohre
- Metallfittings aus korrosionsbeständigem Messing
- Kunststofffittings aus PPSU (Polyphenylsulfon)
- Q&E Sicherungsringe müssen separat bestellt werden
- Außen- und Innengewinde nach DIN EN 10226-1

Anwendung:
- Fittingsystem für den Einsatzbereich von Heizungs- und Trinkwasser
- Max. Temperatur- und Druckbelastung: 95 °C / 6 bar / 10 bar

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E expansion tool with heads M12/ 16RS/20/25 6bar UK

1119377



Product code

Item no EAN	6414905561179
Item no GTIN	06414905561179

Dimensions

Item Unit Height	100
Item Unit Length	270
Item Unit Weight	3,26
Item Unit Width	215
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905561445
Packaging Height PL1	125
Packaging Length PL1	325
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,012675
Packaging Weight PL1	3,36
Packaging Width PL1	312

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+