Product data sheet



GF Uponor Q&E expansion head Rapid Seal M12/M18 16x1,8/2,0/2,2

1119381

- Suitable for Q&E expander tool M12 / M12 FUEL and M18 / M18 FUEL
- Rapid Seal technology for faster water-tight connections



About GF Uponor Q&E expansion head Rapid Seal M12/M18

Specification

Spezifikation:
- Q&E Fittings und Sicherungsringe für Uponor PE-Xa Rohre
- Metallfittings aus korrosionsbeständigem Messing
- Kunststofffittings aus PPSU (Polyphenylsulfon)
- Q&E Sicherungsringe müssen separat bestellt werden
- Außen- und Innengewinde nach DIN EN 10226-1

Anwendung:
- Fittingsystem für den Einsatzbereich von Heizungs- und Trinkwasser
- Max. Temperatur- und Druckbelastung: 95 °C / 6 bar / 10 bar

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E expansion head Rapid Seal M12/M18 16x1,8/2,0/2,2

1119381



Product code

Item no EAN	6414905561216
Item no GF	35001119381
Item no GTIN	06414905561216
Item no LVI	2073017
Item no NRF	9840685
Item no VVS	045339856

Dimensions

Item Unit Height	68.5
Item Unit Length	50
Item Unit Weight	0,19
Item Unit Width	50
Item_UOM	pce

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414905561452
Packaging Height PL1	70
Packaging Length PL1	105
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,0005145
Packaging Weight PL1	0,321
Packaging Width PL1	70

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+