
Product data sheet




GF Uponor Ecoflex jointing equal PN6 140x12,7-140x12,7

1121635

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- Pipe insert does not require O-ring for sealing
- DZR - dezincification resistant brass





About GF Uponor Ecoflex jointing equal PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C


Certification

UK Reg4 approval
- WRAS or
- KIWA
To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF Uponor Ecoflex jointing equal PN6 140x12,7-140x12,7

1121635





Status

Item Available From date	2025-01-01
Until stocks last	Until stocks last

Product code

Item no EAN	6414905661497
Item no GF	35001121635
Item no GTIN	06414905661497
Item no LVI	1938518
Item no NRF	8361288
Item no RSK	2282762
Item no VVS	087882340

Dimensions

Item Unit Height	215
Item Unit Length	169
Item Unit Weight	10,1
Item Unit Width	215
Item_UOM	pce

Measurements

LENGTH_L	169
Length (l1)	70
Length (l2)	70
Wall thickness_s	12,7
z1	29

Packaging

Packaging GTIN PL1	06414905672288
Packaging Height PL1	200

Packaging Length PL1	300
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,0096
Packaging Weight PL1	10,3
Packaging Width PL1	160

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+