Product data sheet




GF Uponor Ecoflex elbow Rp5-Rp5

1121638

- Parallel thread Rp - requires a suitable sealing medium
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DZR - dezincification resistant brass





About GF Uponor Ecoflex elbow

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification


UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF Uponor Ecoflex elbow Rp5-Rp5

1121638





Measurements

Female thread Rp	5
Length (l1)	119
Length (l2)	119

Status

Item Available From date	2025-01-01
Until stocks last	Until stocks last

Product code

Item no EAN	6414905661534
Item no GF	35001121638
Item no GTIN	06414905661534
Item no LVI	1938521
Item no NRF	8361292
Item no RSK	2282765
Item no VVS	087832517

Dimensions

Item Unit Height	198
Item Unit Length	198
Item Unit Weight	5,3
Item Unit Width	158
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905672301
Packaging GTIN PL4	06414900546652
Packaging Height PL1	165
Packaging Height PL4	309

Packaging Length PL1	295
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	corrugated cardboard / cartone
Packaging Material (short) PL1	PAP_C
Packaging Quantity PL1	1
Packaging Quantity PL4	12
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,009491625
Packaging Volume PL4	0,29663999999999996
Packaging Weight PL1	5,422
Packaging Weight PL4	90,064
Packaging Width PL1	195
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	corrugated cardboard / cartone

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+