


Uponor Ecoflex weldable adapter ST PN6 EU 160x14,6-159

1121642

- Connection of PE-Xa pipes
- 6 bar, SDR 11
- Steel adapter for welding



About Uponor Ecoflex weldable adapter ST PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Ecoflex weldable adapter ST PN6 EU 160x14,6-159

1121642



Status

Item Available From date 2025-01-01

Until stocks last Until stocks last

Product code

Item no EAN 6414905661572

Item no GF 35001121642

Item no GTIN 06414905661572

Item no VVS 087880160

Dimensions

Item Unit Height 228

Item Unit Length 145

Item Unit Weight 7,4

Item Unit Width 228

Item_UOM pce

Measurements

LENGTH_L 145

Length (l1) 70

Wall thickness_s 6

Z Measurement d 168,3

Technical data

Recycling Text Block PL1 corrugated cardboard / cartone

Packaging

Packaging GTIN PL1 06414905672271

Packaging GTIN PL4 06414900546683

Packaging Height PL1 165

Packaging Height PL4 309

Packaging Length PL1 295

Packaging Length PL4 1200

Packaging Material (number) PL1	20
Packaging Material PL1	corrugated cardboard / cartone
Packaging Material (short) PL1	PAP_C
Packaging Quantity PL1	1
Packaging Quantity PL4	12
Packaging Type PL1	BASE_BOX
Packaging Type PL4	PALLET
Packaging Volume PL1	0,009491625
Packaging Volume PL4	0,29664
Packaging Weight PL1	7,522
Packaging Weight PL4	115,264
Packaging Width PL1	195
Packaging Width PL4	800

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavilion
 WD18 8GA, Watford
 UK

T +44 (0)1923 927000
 E enquiries.uk@uponor.com

www.uponor.com/en-gb