


Uponor Ecoflex coupling PN6 160x14,6-R5

1121648

- Connection of PE-Xa or PE pipe
- 6 bar, SDR 11
- R type tapered thread, requires suitable sealing medium to be applied
- Cannot be used with Wipex fittings!
- DZR - dezincification resistant brass



About Uponor Ecoflex coupling PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Ecoflex coupling PN6 160x14,6-R5

1121648



Status

Item Available From date 2025-01-01

Until stocks last Until stocks last

Product code

Item no EAN 6414905661480

Item no GF 35001121648

Item no GTIN 06414905661480

Item no LVI 1938524

Item no NRF 8361301

Item no RSK 2282771

Item no VVS 087883459

Dimensions

Item Unit Height 230

Item Unit Length 141

Item Unit Weight 8,2

Item Unit Width 230

Item_UOM pce

Measurements

LENGTH_L 141

Length (I1) 45

Length (I2) 70

Male_thread_R 5

Wall thickness_s 14,6

z1 26

Packaging

Packaging GTIN PL1 06414905672370

Packaging GTIN PL4 06414900546676

Packaging Height PL1 165

Packaging Height PL4	309
Packaging Length PL1	295
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	corrugated cardboard / cartone
Packaging Material (short) PL1	PAP_C
Packaging Quantity PL1	1
Packaging Quantity PL4	12
Packaging Type PL1	BASE_BOX
Packaging Type PL4	PALLET
Packaging Volume PL1	0,009491625
Packaging Volume PL4	0,29664
Packaging Weight PL1	8,322
Packaging Weight PL4	124,864
Packaging Width PL1	195
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	corrugated cardboard / cartone
--------------------------	--------------------------------

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb