


Uponor Ecoflex coupling insulation set 250

1121806

- Straight set for connecting Ecoflex pipes
- ABS half sheels with insulation and reducer
- Traffic load of 60 tons (for dimension 250 : 40 tons)



About Uponor Ecoflex coupling insulation set

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex coupling insulation set 250

1121806



Measurements

| | |
|--------------------|---------|
| Inner_diameter_di1 | 250 |
| Inner_diameter_di2 | 200 |
| Inner_diameter_di3 | 175/140 |
| LENGTH_L | 1150 |
| Length (l1) | 491 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 6414905663545 |
| Item no GF | 35001121806 |
| Item no GTIN | 06414905663545 |
| Item no LVI | 3010139 |
| Item no NRF | 8360565 |
| Item no RSK | 2282773 |
| Item no VVS | 087900250 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 361 |
| Item Unit Length | 1150 |
| Item Unit Weight | 10,6 |
| Item Unit Width | 491 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905666102 |
| Packaging GTIN PL4 | 06414900416245 |
| Packaging Height PL1 | 470 |
| Packaging Height PL4 | 1084 |
| Packaging Length PL1 | 1190 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |

| | |
|------------------------|-----------|
| Packaging Quantity PL4 | 4 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,2265165 |
| Packaging Volume PL4 | 1,04064 |
| Packaging Weight PL1 | 12,5 |
| Packaging Weight PL4 | 74 |
| Packaging Width PL1 | 405 |
| Packaging Width PL4 | 800 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb