


## Uponor Ecoflex coupling insulation set 250

**1121806**

- Straight set for connecting Ecoflex pipes
- ABS half sheels with insulation and reducer
- Traffic load of 60 tons (for dimension 250 : 40 tons)



### About Uponor Ecoflex coupling insulation set

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex coupling insulation set 250

1121806



### Measurements

Inner_diameter_di1	250
Inner_diameter_di2	200
Inner_diameter_di3	175/140
LENGTH_L	1150
Length (l1)	491

### Product code

Item no EAN	6414905663545
Item no GF	35001121806
Item no GTIN	06414905663545
Item no LVI	3010139
Item no NRF	8360565
Item no RSK	2282773
Item no VVS	087900250

### Dimensions

Item Unit Height	361
Item Unit Length	1150
Item Unit Weight	10,6
Item Unit Width	491
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905666102
Packaging GTIN PL4	06414900416245
Packaging Height PL1	470
Packaging Height PL4	1084
Packaging Length PL1	1190
Packaging Length PL4	1200
Packaging Quantity PL1	1

Packaging Quantity PL4	4
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,2265165
Packaging Volume PL4	1,04064
Packaging Weight PL1	12,5
Packaging Weight PL4	74
Packaging Width PL1	405
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com