


## Uponor Vario cabinet OW 450x730x135

**1136215**

- Cabinet with door for on-wall installation
- Galvanized steel, white powder coated (RAL 9016)
- Without back panel
- Lockable door with coin lock



### About Uponor Vario cabinet OW

#### Specification


- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

#### Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

## Uponor Vario cabinet OW 450x730x135

1136215



### Product code

Item no EAN	6414900422758
Item no GF	35001136215
Item no GTIN	06414900422758

### Dimensions

Item Unit Height	730
Item Unit Length	450
Item Unit Weight	5,735
Item Unit Width	138
Item_UOM	pce

### Measurements

LENGTH_L	450
Length (l1)	389
Z Measurement b1	572
Z Measurement h	135
Z Measurement w	730

### Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	--

### Packaging

Packaging GTIN PL1	06414900307987
Packaging GTIN PL4	06414900310635
Packaging Height PL1	760
Packaging Height PL4	1890
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	25
Packaging Type PL1	Base_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,05472
Packaging Volume PL4	1,8144
Packaging Weight PL1	6,72
Packaging Weight PL4	188
Packaging Width PL1	480
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)