


Uponor Vario cabinet OW 600x730x135

1136216

- Cabinet with door for on-wall installation
- Galvanized steel, white powder coated (RAL 9016)
- Without back panel
- Lockable door with coin lock



About Uponor Vario cabinet OW

Specification


- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

Uponor Vario cabinet OW 600x730x135

1136216



Product code

Item no EAN	6414900422765
Item no GF	35001136216
Item no GTIN	06414900422765

Dimensions

Item Unit Height	730
Item Unit Length	600
Item Unit Weight	6,745
Item Unit Width	138
Item_UOM	pce

Measurements

LENGTH_L	600
Length (l1)	539
Z Measurement b1	572
Z Measurement h	135
Z Measurement w	730

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	--

Packaging

Packaging GTIN PL1	06414900307994
Packaging GTIN PL4	06414900310642
Packaging Height PL1	760
Packaging Height PL4	1550
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	17
Packaging Type PL1	Base_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,07182
Packaging Volume PL4	1,488
Packaging Weight PL1	7,96
Packaging Weight PL4	155
Packaging Width PL1	630
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb