


Uponor Vario cabinet OW 1050x730x135

1136219

- Cabinet with door for on-wall installation
- Galvanized steel, white powder coated (RAL 9016)
- Without back panel
- Lockable door with coin lock



About Uponor Vario cabinet OW

Specification


- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

Uponor Vario cabinet OW 1050x730x135

1136219



Product code

Item no EAN 6414900422796

Item no GTIN 06414900422796

Dimensions

Item Unit Height 730

Item Unit Length 1050

Item Unit Weight 9,76

Item Unit Width 138

Item_UOM pce

Measurements

LENGTH_L 1050

Length (l1) 989

Z Measurement b1 572

Z Measurement h 135

Z Measurement w 730

Packaging

Packaging GTIN PL1 06414900308021

Packaging GTIN PL4 06414900310673

Packaging Height PL1 760

Packaging Height PL4 1835

Packaging Length PL1 150

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 11

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,12312

Packaging Volume PL4 1,7616

Packaging Weight PL1	11,62
Packaging Weight PL4	147
Packaging Width PL1	1080
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb