Product data sheet



GF Uponor Vario cabinet OW 1200x730x135

1136220

- Cabinet with door for on-wall installation
- Galvanized steel, white powder coated (RAL 9016)
- Without back panel
- Lockable door with coin lock





About GF Uponor Vario cabinet OW

Specification

- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

GF Uponor Vario cabinet OW 1200x730x135

1136220





Product code

Item no EAN	6414900422802
Item no GTIN	06414900422802

Dimensions

Item Unit Height	730
Item Unit Length	1200
Item Unit Weight	10,575
Item Unit Width	138
Item_UOM	pce

Measurements

LENGTH_L	1200
Length (l1)	1139
Z Measurement b1	572
Z Measurement h	135
Z Measurement w	730

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414900308038
Packaging GTIN PL4	06414900310680
Packaging Height PL1	760
Packaging Height PL4	1370
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	7

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,13908
Packaging Volume PL4	1,3152
Packaging Weight PL1	12,44
Packaging Weight PL4	107
Packaging Width PL1	1220
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+