


Uponor Vario cabinet OW 1350x730x135

1136221

- Cabinet with door for on-wall installation
- Galvanized steel, white powder coated (RAL 9016)
- Without back panel
- Lockable door with coin lock



About Uponor Vario cabinet OW

Specification


- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

Uponor Vario cabinet OW 1350x730x135

1136221



Product code

Item no EAN 6414900422819

Item no GTIN 06414900422819

Dimensions

Item Unit Height 730

Item Unit Length 1350

Item Unit Weight 11,8

Item Unit Width 138

Item_UOM pce

Measurements

LENGTH_L 1350

Length (l1) 1289

Z Measurement b1 572

Z Measurement h 135

Z Measurement w 730

Status

MTO (longer delivery times)

Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1 06414900308045

Packaging GTIN PL4 06414900310697

Packaging Height PL1 760

Packaging Height PL4 1530

Packaging Length PL1 150

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 7

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1	0,15846
Packaging Volume PL4	1,4688
Packaging Weight PL1	14,12
Packaging Weight PL4	118
Packaging Width PL1	1390
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb