



Uponor Aqua Ambient shower inlet low silver 30/1000mm

1136411

- Compatible with various grates (see separate items)
- For low floor construction
- Flow rate: 0,6 l/s
- Siphon with cleaning basket, connection to waste pipes DN 40, with horizontal 360° alignment
- Material body: stainless-steel
- Material siphon: polypropylene / ABS



About Uponor Aqua Ambient shower inlet low silver

Specification

- Available in different sizes: 600, 700, 800, 900, 1000mm
- Wide sealing collar (30mm) ensuring tight jointing to the floor construction
- Adjustable height and fixable legs for integration in every kind of floor construction
- Wide range compatible with all common waste outlet pipework.

Application

- Bathroom greywater applications

Certification

- Technical assessment acc BS EN 1253

Uponor Aqua Ambient shower inlet low silver 30/1000mm

1136411



Product code

Item no EAN 6414900483094

Item no GTIN 06414900483094

Dimensions

Item Unit Height 83

Item Unit Length 1060

Item Unit Weight 2,46

Item Unit Width 143

Item_UOM pce

Measurements

LENGTH_L 1060

Length (l1) 1000

Outer Diameter_do 40

Z Measurement h 98

Z Measurement h1 82

Z Measurement h2 40

Z Measurement w 303

Z Measurement w1 143

z1 45

Packaging

Packaging GTIN PL1 06414900485418

Packaging GTIN PL4 06414900485616

Packaging Height PL1 110

Packaging Height PL4 1220

Packaging Length PL1 1070

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 50

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0194205
Packaging Volume PL4	1,1712
Packaging Weight PL1	4
Packaging Weight PL4	210
Packaging Width PL1	165
Packaging Width PL4	800

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com