



## Uponor Aqua Ambient shower inlet low silver 30/1000mm

**1136411**

- Compatible with various grates (see separate items)
- For low floor construction
- Flow rate: 0,6 l/s
- Siphon with cleaning basket, connection to waste pipes DN 40, with horizontal 360° alignment
- Material body: stainless-steel
- Material siphon: polypropylene / ABS



### About Uponor Aqua Ambient shower inlet low silver

#### Specification

- Available in different sizes: 600, 700, 800, 900, 1000mm
- Wide sealing collar (30mm) ensuring tight jointing to the floor construction
- Adjustable height and fixable legs for integration in every kind of floor construction
- Wide range compatible with all common waste outlet pipework.

#### Application

- Bathroom greywater applications

#### Certification

- Technical assessment acc BS EN 1253

## Uponor Aqua Ambient shower inlet low silver 30/1000mm

1136411



### Product code

Item no EAN 6414900483094

Item no GTIN 06414900483094

### Dimensions

Item Unit Height 83

Item Unit Length 1060

Item Unit Weight 2,46

Item Unit Width 143

Item\_UOM pce

### Measurements

LENGTH\_L 1060

Length (l1) 1000

Outer Diameter\_do 40

Z Measurement h 98

Z Measurement h1 82

Z Measurement h2 40

Z Measurement w 303

Z Measurement w1 143

z1 45

### Packaging

Packaging GTIN PL1 06414900485418

Packaging GTIN PL4 06414900485616

Packaging Height PL1 110

Packaging Height PL4 1220

Packaging Length PL1 1070

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 50

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0194205
Packaging Volume PL4	1,1712
Packaging Weight PL1	4
Packaging Weight PL4	210
Packaging Width PL1	165
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)