


Uponor Aqua Ambient shower inlet low black 30/600mm

1136412

- Compatible with various grate attachments
- For low floor construction
- Flow rate: 0,6 l/s
- Siphon with cleaning basket, connection to waste pipes DN 40, with horizontal 360° alignment
- Material body: matt black powder-coated stainless-steel
- Material siphon: polypropylene / ABS



About Uponor Aqua Ambient shower inlet low black

Specification

- Available in different sizes: 600, 700, 800, 900, 1000mm
- Wide sealing collar (30mm) ensuring tight jointing to the floor construction
- Adjustable height and fixable legs for integration in every kind of floor construction
- Wide range compatible with all common waste outlet pipework.

Application


- Bathroom greywater applications

Certification

- Technical assessment acc BS EN 1253

Uponor Aqua Ambient shower inlet low black 30/600mm

1136412



Product code

Item no EAN	6414900483100
Item no GTIN	06414900483100

Dimensions

Item Unit Height	83
Item Unit Length	660
Item Unit Weight	1,62
Item Unit Width	143
Item_UOM	pce

Measurements

LENGTH_L	660
Length (l1)	600
Outer Diameter_do	40
Z Measurement h	98
Z Measurement h1	82
Z Measurement h2	40
Z Measurement w	303
Z Measurement w1	143
z1	45

Packaging

Packaging GTIN PL1	06414900485425
Packaging GTIN PL4	06414900485623
Packaging Height PL1	110
Packaging Height PL4	1220
Packaging Length PL1	670
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	80

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0121605
Packaging Volume PL4	1,1712
Packaging Weight PL1	1,7
Packaging Weight PL4	146
Packaging Width PL1	165
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb