


## Uponor Aqua Ambient shower inlet low black 30/800mm

### 1136414

- Compatible with various grate attachments
- For low floor construction
- Flow rate: 0,6 l/s
- Siphon with cleaning basket, connection to waste pipes DN 40, with horizontal 360° alignment
- Material body: matt black powder-coated stainless-steel
- Material siphon: polypropylene / ABS



## About Uponor Aqua Ambient shower inlet low black

### Specification

- Available in different sizes: 600, 700, 800, 900, 1000mm
- Wide sealing collar (30mm) ensuring tight jointing to the floor construction
- Adjustable height and fixable legs for integration in every kind of floor construction
- Wide range compatible with all common waste outlet pipework.

### Application


- Bathroom greywater applications

### Certification

- Technical assessment acc BS EN 1253

## Uponor Aqua Ambient shower inlet low black 30/800mm

1136414



### Product code

Item no EAN 6414900483124

Item no GTIN 06414900483124

### Dimensions

Item Unit Height 83

Item Unit Length 860

Item Unit Weight 2,05

Item Unit Width 143

Item\_UOM pce

### Measurements

LENGTH\_L 860

Length (l1) 800

Outer Diameter\_do 40

Z Measurement h 98

Z Measurement h1 82

Z Measurement h2 40

Z Measurement w 303

Z Measurement w1 143

z1 45

### Packaging

Packaging GTIN PL1 06414900485449

Packaging GTIN PL4 06414900369756

Packaging Height PL1 110

Packaging Height PL4 1220

Packaging Length PL1 870

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 50

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0157905
Packaging Volume PL4	1,1712
Packaging Weight PL1	2,8
Packaging Weight PL4	150
Packaging Width PL1	165
Packaging Width PL4	800

## Technical documents

[Download documents here](#) 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com