


## Uponor Aqua Ambient shower inlet low black 30/900mm

**1136415**

- Compatible with various grate attachments
- For low floor construction
- Flow rate: 0,6 l/s
- Siphon with cleaning basket, connection to waste pipes DN 40, with horizontal 360° alignment
- Material body: matt black powder-coated stainless-steel
- Material siphon: polypropylene / ABS



### About Uponor Aqua Ambient shower inlet low black

#### Specification

- Available in different sizes: 600, 700, 800, 900, 1000mm
- Wide sealing collar (30mm) ensuring tight jointing to the floor construction
- Adjustable height and fixable legs for integration in every kind of floor construction
- Wide range compatible with all common waste outlet pipework.

#### Application

- Bathroom greywater applications

#### Certification

- Technical assessment acc BS EN 1253

## Uponor Aqua Ambient shower inlet low black 30/900mm

1136415



### Product code

Item no EAN	6414900483131
Item no GTIN	06414900483131

### Dimensions

Item Unit Height	83
Item Unit Length	960
Item Unit Weight	2,2
Item Unit Width	143
Item_UOM	pce

### Measurements

LENGTH_L	960
Length (l1)	900
Outer Diameter_do	40
Z Measurement h	98
Z Measurement h1	82
Z Measurement h2	40
Z Measurement w	303
Z Measurement w1	143
z1	45

### Packaging

Packaging GTIN PL1	06414900485456
Packaging GTIN PL4	06414900485654
Packaging Height PL1	110
Packaging Height PL4	1220
Packaging Length PL1	970
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	50

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0176055
Packaging Volume PL4	1,1712
Packaging Weight PL1	2,9
Packaging Weight PL4	170
Packaging Width PL1	165
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)