

Uponor Siccus hot cutter tool Mini 10mm 230V

1139796

- hot cutting tool 230V with cutting insert to cut grooves for 9.9mm pipes inside Siccus Mini panels



About Uponor Siccus hot cutter tool Mini

Specification

- Siccus Mini is a low-profile, dry installation UFH system
- Full-surface integrated, aluminium heat conducting layer according to BS EN 1264; design B
- For installation with Uponor Comfort PE-X Pipe 9.9mm

Application

- Radiant underfloor heating and cooling for dry-build installations
- Direct floor application

Certification

Certification Siccus mini

- DINCERTCO 7F531-F (floating laminate)
- DINCERTCO 7F532-F (direct flooring with wood parquet)
- DINCERTCO 7F533-F (direct flooring with ceramic tiles, natural stone)
- DINCERTCO 7F534-F (gypsum fiber layer for vinyl and carpet)

Uponor Siccus hot cutter tool Mini 10mm 230V

1139796



Product code

Item no EAN	6414900321488
Item no GTIN	06414900321488
Item no LVI	2022285
Item no NRF	8361349
Item no RSK	3871113

Dimensions

Item Unit Height	50
Item Unit Length	250
Item Unit Weight	1,05
Item Unit Width	70
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900438193
Packaging GTIN PL3	06414900438452
Packaging Height PL1	54
Packaging Height PL3	240
Packaging Length PL1	290
Packaging Length PL3	650
Packaging Material (number) PL1	20
Packaging Material (number) PL3	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Type PL1	Base_Box

Packaging Type PL3	Box
Packaging Volume PL1	0,00200448
Packaging Volume PL3	0,04836
Packaging Weight PL1	1,2
Packaging Weight PL3	25
Packaging Width PL1	128
Packaging Width PL3	310

Technical data

Recycling Text Block PL1	Corrugated fibreboard
Recycling Text Block PL3	Corrugated fibreboard

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com