


Uponor Vario PLUS actuator NC MT 24V 1W IP54

1141679

- Vario PLUS, MAGNA manifold actuator
- Height: 61 mm + adaptor ring
- Stroke length: 5mm
- Connection cable: 2x 0.75mm²x1m



About Uponor Vario PLUS actuator NC

Specification

- Modular fiberglass-reinforced polyamide manifold with 1,3,4,6 loops for connection with basic kit
- Connection right or left with flat sealing, or connection from below with optional elbow set
- Supplied with lockshield (LS) valve for balancing, or supplied with Flowmeter (FM) for balancing
- Shut-off and flow view
- Adjusting ring for balancing without tools
- Prepared are to apply room name labels
- Return with valves and caps, prepared for actuators
- Loop connection G3/4" Eurocone
- Loop pitch 50 mm
- Header pitch 225 mm

Actuator: NC (normally closed) closes without power

Application


- For underfloor heating and cooling
- Compatible with actuators MT 30x1,5

Certification

- CE

Uponor Vario PLUS actuator NC MT 24V 1W IP54

1141679



Status

Item Available From date

2024-01-01

Product code

Item no EAN	6414900383790
Item no GF	35001141679
Item no GTIN	06414900383790
Item no LVI	2022273
Item no NRF	8361389
Item no RSK	2973124
Item no VVS	466235524

Dimensions

Item Unit Height	83
Item Unit Length	50
Item Unit Weight	0,12
Item Unit Width	30
Item_UOM	pce

Measurements

Outer Diameter_do	50
Z Measurement h	83

Packaging

Packaging GTIN PL1	06414900383851
Packaging GTIN PL2	06414900385381
Packaging GTIN PL4	06414900385411
Packaging Height PL1	170
Packaging Height PL2	255
Packaging Height PL4	1000
Packaging Length PL1	55
Packaging Length PL2	590

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	100
Packaging Quantity PL4	1200
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00042075
Packaging Volume PL2	0,0556665
Packaging Volume PL4	0,96
Packaging Weight PL1	0,13
Packaging Weight PL2	14
Packaging Weight PL4	205
Packaging Width PL1	45
Packaging Width PL2	370
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com