
Product data sheet



GF Uponor Siccus edge support 16 1000x45x19

1143476

- Mandatory edge support for installation with flooring of ceramic tiles and natural stone
- Edge support against wall sides and in door ways



About GF Uponor Siccus edge support 16

Specification

- Siccus 16 underfloor heating panel system, consists of EPS (HBCD-free) boards acc. EN 13163 with Aluminium foil.
- Fire class E to BS EN 13501-1
- Application type acc. DIN 4108-10: DEO
- life load acc. EN 1991-1-1 = 2,0 kN/m²
- for installations with pipe c-c 150mm
- for pipe dim 16mm

Application


- Radiant underfloor heating and cooling
- For dry-build installations

Certification

- DIN CERTCO

GF Uponor Siccus edge support 16 1000x45x19

1143476



Product code

Item no EAN	6414900503723
Item no GTIN	06414900503723
Item no LVI	2022335
Item no RSK	3001010

Dimensions

Item Unit Height	19
Item Unit Length	1000
Item Unit Weight	0,65
Item Unit Width	45
Item_UOM	m

Measurements

LENGTH_L	1000
Z Measurement b	45
Z MEASUREMENT S	19

Packaging

Packaging GTIN PL1	06414900389655
Packaging GTIN PL4	06414900507929
Packaging Height PL1	120
Packaging Height PL4	1070
Packaging Length PL1	1010
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	720
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,012726
Packaging Volume PL4	1,284
Packaging Weight PL1	6,6
Packaging Weight PL4	500,2
Packaging Width PL1	105
Packaging Width PL4	1000

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+