
Product data sheet



GF Uponor Siccus PS cutter head 16 16

1144842

- for PS cutter tool, for EPS/XPS



About GF Uponor Siccus PS cutter head 16

Specification

- Siccus 16 underfloor heating panel system, consists of EPS (HBCD-free) boards acc. EN 13163 with Aluminium foil.
- Fire class E to BS EN 13501-1
- Application type acc. DIN 4108-10: DEO
- life load acc. EN 1991-1-1 = 2,0 kN/m²
- for installations with pipe c-c 150mm
- for pipe dim 16mm

Application


- Radiant underfloor heating and cooling
- For dry-build installations

Certification

- DIN CERTCO

GF Uponor Siccus PS cutter head 16 16

1144842



Product code

Item no EAN	6414900388801
Item no GTIN	06414900388801
Item no LVI	2022336
Item no RSK	3870233

Dimensions

Item Unit Height	16
Item Unit Length	85
Item Unit Weight	0,047
Item Unit Width	16
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900390149
Packaging Height PL1	22
Packaging Length PL1	120
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,0001848
Packaging Weight PL1	0,06
Packaging Width PL1	70

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+