
Product data sheet




GF Uponor Q&E adapter DR 16-15CU L=16

1145658

- Adapter to connect into a standard compression fitting acc. to BS 1254-2 in place of a copper tube
- Demountable and resealable





About GF Uponor Q&E adapter DR

Specification


- Q&E fittings and rings for Uponor PE-Xa pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of PPSU
- Q&E rings must be ordered separately
- Threads acc. To BS EN 10226-1


Application

For connection of
- drinking water systems
- heating systems
- radiant heating and cooling systems

GF Uponor Q&E adapter DR 16-15CU L=16

1145658





Status

Item Available From date	2025-01-01

Product code

Item no EAN	6414900390941
Item no GF	35001145658
Item no GTIN	06414900390941

Dimensions

Item Unit Height	20
Item Unit Length	37
Item Unit Weight	0,027
Item Unit Width	20
Item_UOM	pce

Measurements

LENGTH_L	36
Length (l1)	15
Length (l2)	18
z1	3

Packaging

Packaging GTIN PL1	06414900445443
Packaging GTIN PL3	06414900447669
Packaging GTIN PL4	06414900447317
Packaging Height PL1	89
Packaging Height PL3	95
Packaging Height PL4	806
Packaging Length PL1	167
Packaging Length PL3	277

Packaging Length PL4	1200
Packaging Quantity PL1	25
Packaging Quantity PL3	100
Packaging Quantity PL4	9600
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000995821
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,77376
Packaging Weight PL1	0,71
Packaging Weight PL3	2,95
Packaging Weight PL4	308
Packaging Width PL1	67
Packaging Width PL3	179
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+