

GF Silenta standard clamp 110mm

1146522

- Standard clamp for installation of HT-PP products



About GF Silenta standard clamp

Specification

- System accessories developed specifically for GF Silenta drainage systems
- Includes fixing components such as acoustic pipe clamps, safety clamps and fastening elements
- Includes sealing and connection components such as gaskets, rubber seals and transition adapters
- Designed to preserve the acoustic performance according to BS EN 14366

Application

Applications:

Silenta items are suitable for wastewater systems within:

- High end residential, multi-family residential, hotels, healthcare, restaurants, etc
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces

GF Silenta standard clamp 110mm

1146522



Status

Item Available From date 2026-03-01

Product code

Item no EAN	8698652023823
Item no GF	4501911020282
Item no GTIN	08698652023823
Item no NOBB	60823798
Item no NRF	1486129
Item no RSK	3848144
Item no VVS	186896073

Dimensions

Item Unit Height	40
Item Unit Length	125
Item Unit Weight	0,235
Item Unit Width	125
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555265
Packaging GTIN PL2	06414900565622
Packaging GTIN PL4	06414900565639
Packaging Height PL1	40
Packaging Height PL2	243
Packaging Height PL4	1135
Packaging Length PL1	125
Packaging Length PL2	415
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	40

Packaging Quantity PL4	1200
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000625
Packaging Volume PL2	0,02541294
Packaging Volume PL4	1,0896
Packaging Weight PL1	0,235
Packaging Weight PL2	9,88
Packaging Weight PL4	321,4
Packaging Width PL1	125
Packaging Width PL2	252
Packaging Width PL4	800
Measurements	
Z Measurement d	110

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com