


GF Silenta 3A elbow 45° 110mm

1146660

- Light blue, PP-material with inorganic filler
- According to BS EN 1451



About GF Silenta 3A elbow 45°

Specification

- Manufactured with the latest generation of multilayer (three different layers) polypropylene technology
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- 15 db(A) at 4l/s - tested to BS EN 14366
- Fire class D - s2, d2 to BS EN 13501-1
- Pipe diameters from 32 mm to 200 mm
- Wide range of fittings to give complete design freedom
- For use with GF Silent Clamp range

Application

Applications:

Silenta 3A is suitable for various wastewater types and areas of use, including:

- High end residential, multi-family residential, hotels, healthcare, restaurants, etc
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces

Commercial/Industrial Wastewater:

- For untreated wastewater containing harmful substances
- Guidance relating to chemical resistance of Polypropylene can be sought from ISO/TR 10358
- For full system chemical compatibility please contact GF
- Required details for assessment:
 - Substance composition
 - Concentration and pH values
 - Quantities and flow rates
 - Wastewater temperature

GF Silenta 3A elbow 45° 110mm

1146660



Status

Item Available From date 2026-03-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 8698652001043 |
| Item no GF | 4704111001321 |
| Item no GTIN | 08698652001043 |
| Item no NOBB | 60823825 |
| Item no NRF | 1486156 |
| Item no RSK | 2832138 |
| Item no VVS | 186723110 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 192 |
| Item Unit Length | 135 |
| Item Unit Weight | 0,392 |
| Item Unit Width | 165 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900555470 |
| Packaging GTIN PL2 | 06414900566124 |
| Packaging GTIN PL4 | 06414900566131 |
| Packaging Height PL1 | 192 |
| Packaging Height PL2 | 400 |
| Packaging Height PL4 | 944 |
| Packaging Length PL1 | 135 |
| Packaging Length PL2 | 800 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL2 | 50 |

| | |
|------------------------|-----------|
| Packaging Quantity PL4 | 200 |
| Packaging Type PL1 | Piece |
| Packaging Type PL2 | Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,0042768 |
| Packaging Volume PL2 | 0,192 |
| Packaging Volume PL4 | 0,90624 |
| Packaging Weight PL1 | 0,392 |
| Packaging Weight PL2 | 21,16 |
| Packaging Weight PL4 | 109,64 |
| Packaging Width PL1 | 165 |
| Packaging Width PL2 | 600 |
| Packaging Width PL4 | 800 |

Measurements

| | |
|------------------|-----|
| Wall thickness_s | 16 |
| Z Measurement d | 110 |
| Z Measurement d1 | 110 |
| Z Measurement e | 3,4 |
| Z Measurement L1 | 58 |

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com