


## GF Silenta 3A elbow 67,5° 110mm

**1146661**

- Light blue, PP-material with inorganic filler
- According to BS EN 1451



### About GF Silenta 3A elbow 67,5°

#### Specification

- Manufactured with the latest generation of multilayer (three different layers) polypropylene technology
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- 15 db(A) at 4l/s - tested to BS EN 14366
- Fire class D - s2, d2 to BS EN 13501-1
- Pipe diameters from 32 mm to 200 mm
- Wide range of fittings to give complete design freedom
- For use with GF Silent Clamp range

#### Application

Applications:

Silenta 3A is suitable for various wastewater types and areas of use, including:

- High end residential, multi-family residential, hotels, healthcare, restaurants, etc
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces

Commercial/Industrial Wastewater:

- For untreated wastewater containing harmful substances
- Guidance relating to chemical resistance of Polypropylene can be sought from ISO/TR 10358
- For full system chemical compatibility please contact GF
- Required details for assessment:
  - Substance composition
  - Concentration and pH values
  - Quantities and flow rates
  - Wastewater temperature

## GF Silenta 3A elbow 67,5° 110mm

1146661



### Status

Item Available From date 2026-03-01

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 8698652033549  |
| Item no GF   | 4704111001421  |
| Item no GTIN | 08698652033549 |
| Item no NOBB | 60823826       |
| Item no NRF  | 1486157        |
| Item no RSK  | 2832146        |
| Item no VVS  | 186722110      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 195   |
| Item Unit Length | 135   |
| Item Unit Weight | 0,276 |
| Item Unit Width  | 177   |
| Item_UOM         | pce   |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900555487 |
| Packaging GTIN PL2     | 06414900566148 |
| Packaging GTIN PL4     | 06414900566155 |
| Packaging Height PL1   | 195            |
| Packaging Height PL2   | 400            |
| Packaging Height PL4   | 944            |
| Packaging Length PL1   | 135            |
| Packaging Length PL2   | 800            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 1              |
| Packaging Quantity PL2 | 50             |

|                        |             |
|------------------------|-------------|
| Packaging Quantity PL4 | 200         |
| Packaging Type PL1     | Piece       |
| Packaging Type PL2     | Box         |
| Packaging Type PL4     | Pallet      |
| Packaging Volume PL1   | 0,004659525 |
| Packaging Volume PL2   | 0,192       |
| Packaging Volume PL4   | 0,90624     |
| Packaging Weight PL1   | 0,276       |
| Packaging Weight PL2   | 15,36       |
| Packaging Weight PL4   | 86,44       |
| Packaging Width PL1    | 177         |
| Packaging Width PL2    | 600         |
| Packaging Width PL4    | 800         |

## Measurements

|                  |     |
|------------------|-----|
| Wall thickness_s | 16  |
| Z Measurement d  | 110 |
| Z Measurement d1 | 110 |
| Z Measurement e  | 3,4 |
| Z Measurement L1 | 58  |

## Technical documents

Download documents here

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com