

## GF Silenta 3A reducer eccentric 40x32mm

**1146711**

- Light blue, PP-material with inorganic filler
- According to BS EN 1451



### About GF Silenta 3A reducer eccentric

#### Specification

- Manufactured with the latest generation of multilayer (three different layers) polypropylene technology
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- 15 db(A) at 4l/s - tested to BS EN 14366
- Fire class D - s2, d2 to BS EN 13501-1
- Pipe diameters from 32 mm to 200 mm
- Wide range of fittings to give complete design freedom
- For use with GF Silent Clamp range

#### Application

Applications:

Silenta 3A is suitable for various wastewater types and areas of use, including:

- High end residential, multi-family residential, hotels, healthcare, restaurants, etc
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces

Commercial/Industrial Wastewater:

- For untreated wastewater containing harmful substances
- Guidance relating to chemical resistance of Polypropylene can be sought from ISO/TR 10358
- For full system chemical compatibility please contact GF
- Required details for assessment:
  - Substance composition
  - Concentration and pH values
  - Quantities and flow rates
  - Wastewater temperature

## GF Silenta 3A reducer eccentric 40x32mm

1146711



### Status

Item Available From date 2026-03-01

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 8698652146447  |
| Item no GF   | 4704404000521  |
| Item no GTIN | 08698652146447 |
| Item no NOBB | 60823872       |
| Item no NRF  | 1486203        |
| Item no RSK  | 2832172        |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 100   |
| Item Unit Length | 50    |
| Item Unit Weight | 0,026 |
| Item Unit Width  | 50    |
| Item_UOM         | pce   |

### Measurements

|                  |       |
|------------------|-------|
| LENGTH_L         | 100,2 |
| Z Measurement d  | 40    |
| Z Measurement d1 | 32    |
| Z Measurement e  | 1,8   |
| Z Measurement L1 | 41,6  |

### Packaging

|                      |                |
|----------------------|----------------|
| Packaging GTIN PL1   | 06414900601931 |
| Packaging GTIN PL2   | 06414900612906 |
| Packaging GTIN PL4   | 06414900612913 |
| Packaging Height PL1 | 100            |
| Packaging Height PL2 | 400            |
| Packaging Height PL4 | 944            |

|                        |         |
|------------------------|---------|
| Packaging Length PL1   | 50      |
| Packaging Length PL2   | 800     |
| Packaging Length PL4   | 1200    |
| Packaging Quantity PL1 | 1       |
| Packaging Quantity PL2 | 750     |
| Packaging Quantity PL4 | 3000    |
| Packaging Type PL1     | Piece   |
| Packaging Type PL2     | Box     |
| Packaging Type PL4     | Pallet  |
| Packaging Volume PL1   | 0,00025 |
| Packaging Volume PL2   | 0,192   |
| Packaging Volume PL4   | 0,90624 |
| Packaging Weight PL1   | 0,026   |
| Packaging Weight PL2   | 21,06   |
| Packaging Weight PL4   | 109,24  |
| Packaging Width PL1    | 50      |
| Packaging Width PL2    | 600     |
| Packaging Width PL4    | 800     |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 927000  
 E enquiries.uk@uponor.com

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)