


GF Silenta 3A reducer eccentric 110-50mm

1146715

- Light blue, PP-material with inorganic filler
- According to BS EN 1451



About GF Silenta 3A reducer eccentric

Specification

- Manufactured with the latest generation of multilayer (three different layers) polypropylene technology
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- 15 db(A) at 4l/s - tested to BS EN 14366
- Fire class D - s2, d2 to BS EN 13501-1
- Pipe diameters from 32 mm to 200 mm
- Wide range of fittings to give complete design freedom
- For use with GF Silent Clamp range

Application

Applications:

Silenta 3A is suitable for various wastewater types and areas of use, including:

- High end residential, multi-family residential, hotels, healthcare, restaurants, etc
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces

Commercial/Industrial Wastewater:

- For untreated wastewater containing harmful substances
- Guidance relating to chemical resistance of Polypropylene can be sought from ISO/TR 10358
- For full system chemical compatibility please contact GF
- Required details for assessment:
 - Substance composition
 - Concentration and pH values
 - Quantities and flow rates
 - Wastewater temperature

GF Silenta 3A reducer eccentric 110-50mm

1146715



Measurements

| | |
|-------------------|-----|
| Inner_diameter_di | 50 |
| Wall thickness_s | 16 |
| Z Measurement e | 3,4 |

Status

| | |
|--------------------------|------------|
| Item Available From date | 2026-03-01 |
|--------------------------|------------|

Product code

| | |
|--------------|----------------|
| Item no EAN | 8698652001111 |
| Item no GF | 4704411000221 |
| Item no GTIN | 08698652001111 |
| Item no NOBB | 60823876 |
| Item no NRF | 1486207 |
| Item no RSK | 2832181 |
| Item no VVS | 186751106 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 155 |
| Item Unit Length | 120 |
| Item Unit Weight | 0,24 |
| Item Unit Width | 120 |
| Item_UOM | pce |

Packaging

| | |
|----------------------|----------------|
| Packaging GTIN PL1 | 0641490055524 |
| Packaging GTIN PL2 | 06414900612982 |
| Packaging GTIN PL4 | 06414900612999 |
| Packaging Height PL1 | 155 |
| Packaging Height PL2 | 360 |
| Packaging Height PL4 | 924 |
| Packaging Length PL1 | 120 |

| | |
|------------------------|----------|
| Packaging Length PL2 | 590 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL2 | 50 |
| Packaging Quantity PL4 | 400 |
| Packaging Type PL1 | Piece |
| Packaging Type PL2 | Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,002232 |
| Packaging Volume PL2 | 0,082836 |
| Packaging Volume PL4 | 0,88704 |
| Packaging Weight PL1 | 0,24 |
| Packaging Weight PL2 | 13,04 |
| Packaging Weight PL4 | 129,32 |
| Packaging Width PL1 | 120 |
| Packaging Width PL2 | 390 |
| Packaging Width PL4 | 800 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb