


GF Silenta 3A pipe with single socket 125x2000mm

1147168

- Light blue, three-layer, PP-material with inorganic filler
- According to BS EN 1451



About GF Silenta 3A pipe with single socket

Specification

- Manufactured with the latest generation of multilayer (three different layers) polypropylene technology
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- 15 db(A) at 4l/s - tested to BS EN 14366
- Fire class D - s2, d2 to BS EN 13501-1
- Pipe diameters from 32 mm to 200 mm
- Wide range of fittings to give complete design freedom
- For use with GF Silent Clamp range

Application

Applications:

Silenta 3A is suitable for various wastewater types and areas of use, including:

- High end residential, multi-family residential, hotels, healthcare, restaurants, etc
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces

Commercial/Industrial Wastewater:

- For untreated wastewater containing harmful substances
- Guidance relating to chemical resistance of Polypropylene can be sought from ISO/TR 10358
- For full system chemical compatibility please contact GF
- Required details for assessment:
 - Substance composition
 - Concentration and pH values
 - Quantities and flow rates
 - Wastewater temperature

GF Silenta 3A pipe with single socket 125x2000mm

1147168



Status

Item Available From date 2026-03-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 8698652163178 |
| Item no GF | 4604012510521 |
| Item no GTIN | 08698652163178 |
| Item no NOBB | 60823922 |
| Item no NRF | 1486253 |
| Item no RSK | 2749210 |
| Item no VVS | 186715200 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 125 |
| Item Unit Length | 2000 |
| Item Unit Weight | 3,684 |
| Item Unit Width | 125 |
| Item_UOM | pce |

Measurements

| | |
|------------------|------|
| LENGTH_L | 2000 |
| Length (l1) | 64 |
| Z Measurement d | 125 |
| Z Measurement d1 | 125 |
| Z measurement m | 64 |

Packaging

| | |
|----------------------|----------------|
| Packaging GTIN PL1 | 06414900598224 |
| Packaging GTIN PL4 | 06414900598231 |
| Packaging Height PL1 | 125 |
| Packaging Height PL4 | 502 |
| Packaging Length PL1 | 2000 |

| | |
|---------------------------------|---------------------------------|
| Packaging Length PL4 | 2128 |
| Packaging Material (number) PL4 | 51 |
| Packaging Material PL4 | wooden pallet / pallet di legno |
| Packaging Material (short) PL4 | WOOD |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 24 |
| Packaging Type PL1 | PIECE |
| Packaging Type PL4 | CAGE |
| Packaging Volume PL1 | 0,03125 |
| Packaging Volume PL4 | 1,15371648 |
| Packaging Weight PL1 | 3,684 |
| Packaging Weight PL4 | 104,416 |
| Packaging Width PL1 | 125 |
| Packaging Width PL4 | 1080 |

Technical data

| | |
|--------------------------|---------------------------------|
| Recycling Text Block PL4 | wooden pallet / pallet di legno |
|--------------------------|---------------------------------|

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212

E
 customerservice.uk.bfs@georgfi
 scher.com