


GF Aquasystem Ball Valve PPR green 75mm

1148826

- PN10 cold water applications only.



About GF Aquasystem Ball Valve PPR green

Specification

- AQUASYSTEM is one of the most reliable and high-quality PP-R systems on the market. It is ideal for transporting both hot and cold water in a variety of building systems as well as industrial and marine applications. The system features high temperature and pressure resistance while being hygienically safe and eligible for use in drinking water supply systems. Thanks to its chemical resistance behavior, the system is also a great choice for transferring or discharging chemical media.

Application

- Central heating systems
- Hot and cold water systems
- Drinking water and treated water supply systems
- Industrial Piping Systems (Transfer and discharge of chemicals)
- Air conditioner systems
- Solar Collectors

Certification

- WRAS Material approval (BS6920)

GF Aquasystem Ball Valve PPR green 75mm

1148826



Product code

Item no EAN	8698652073866
Item no GF	4302807543922
Item no GTIN	08698652073866

Dimensions

Item Unit Height	154
Item Unit Length	113
Item Unit Weight	2,592
Item Unit Width	160
Item_UOM	pce

Measurements

Length (l2)	159,5
Length (l3)	144,9

Packaging

Packaging GTIN PL1	06414900144070
Packaging GTIN PL2	06414900278270
Packaging GTIN PL4	06414900278287
Packaging Height PL1	155
Packaging Height PL2	243
Packaging Height PL4	1160
Packaging Length PL1	115
Packaging Length PL2	415
Packaging Length PL4	1100
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Quantity PL4	384
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,002852
Packaging Volume PL2	0,0302535
Packaging Volume PL4	1,6588
Packaging Weight PL1	2,602
Packaging Weight PL2	21,356
Packaging Weight PL4	1047,088
Packaging Width PL1	160
Packaging Width PL2	300
Packaging Width PL4	1300

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb