
Product data sheet



GF Hycleen AS flush valve LegioTherm K DN20

1149720

- Temperature: max. 90°C
- Nominal pressure: PN10
- Material: gunmetal lead-free, stainless steel, EPDM
- Factory setting: 20°C (adjustable 0 - 90°C)
- Connection: screw connection
- Note: Flushing valve JRG LegioTherm K must not be used without the consent of the holder of patents EP 1 845 207 B1 and DE 10 2006 017 807 B4 for use in a water system of the type described in these patents.



About GF Hycleen AS flush valve LegioTherm K

Specification

- Balancing valves: DN 15, 20, 25
- Flush valves: DN 15 & 20
- Central control interface with touch-screen
- Operating pressure: to 10 bar
- Operating temperature: +5°C to +90°C
- Materials: Gunmetal, Stainless steel, Plastics


Application

- Balancing of potable water hot circulation systems
- Ensure water exchange in potable water hot & cold pipe sections
- For buildings with complex water installations
- Ideal for retro-fit where existing installations experience poor hot water supply to outlets

GF Hycleen AS flush valve LegioTherm K DN20

1149720





Status

Item Available From date	2026-03-01

Product code

Item no EAN	7613263104502
Item no GF	351110610
Item no GTIN	07613263104502
Item no LVI	2075250
Item no RSK	4883145

Dimensions

Item Unit Height	180
Item Unit Length	300
Item Unit Weight	1,02
Item Unit Width	200
Item_UOM	pce

Measurements

Length (l1)	87
Length (l2)	7
Length (l3)	24
Length L4	206
Z Measurement b1	92
Z Measurement d1	1
Z Measurement d2	G 3/4"
Z Measurement d3	Rp1/4"
Z Measurement h1	169
Z Measurement h2	54

Packaging

Packaging GTIN PL1	06414900170925
Packaging Height PL1	180
Packaging Length PL1	300
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,0108
Packaging Weight PL1	1,19
Packaging Width PL1	200

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+