Product data sheet



GF Hycleen AS Connect licence

1149757

- Cloud-based remote access for digital monitoring and control of potable water installations. Remote monitoring, Remote access, Alarms, Asset manager, Data mangement.

- Register your Hycleen Master online at hycleen.gfdigitalcontrols.com/
- Purchase your Hycleen Connect remote access subscription
- Hycleen Connect is a subscription service that runs on a yearly fee basis
- The Internet connection from Hycleen Master to the cloud must be provided by the user



About GF Hycleen AS Connect licence

Specification

- Balancing valves: DN 15, 20, 25
- Flush valves: DN 15 & 20
- Central control interface with touch-screen
- Operating pressure: to 10 bar
- Operating temperature: +5°C to +90°C
- Materials: Gunmetal, Stainless steel, Plastics

Application

- Balancing of potable water hot circulation systems
- Ensure water exchange in potable water hot & cold pipe sections
- For buildings with complex water installations
- Ideal for retro-fit where existing installations experience poor hot water supply to outlets

GF Hycleen AS Connect licence

1149757



Status

Item Available From date	2026-03-01

Product code

Item no EAN	6414900398114
Item no GF	351110795
Item no GTIN	06414900398114

Dimensions

Item Unit Height	0.1
Item Unit Length	0.1
Item Unit Weight	0,001
Item Unit Width	0.1
Item_UOM	pce

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+