

GF HT-PP pipe with single socket 32x500mm

1150075

- Where detailed Class is S20 to BS EN 1451
- Grey, monolayer, PP-material
- According to BS EN 1451



About GF HT-PP pipe with single socket

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP pipe with single socket 32x500mm

1150075



Status

Item Available From date

2026-03-01

Product code

Item no EAN 8698652042329

Item no GF 4801003200321

Item no GTIN 08698652042329

Item no VVS 186020050

Dimensions

Item Unit Height 32

Item Unit Length 500

Item Unit Weight 0,11

Item Unit Width 32

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900553964

Packaging GTIN PL2 06414900172905

Packaging GTIN PL4 06414900249607

Packaging Height PL1 32

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 500

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 150

Packaging Quantity PL4 900

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,000512
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,11
Packaging Weight PL2	16,5
Packaging Weight PL4	124
Packaging Width PL1	32
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	20
Z Measurement d	39
Z Measurement d1	32
Z Measurement e	1,8
Z Measurement L1	45

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com