


GF HT-PP elbow 87,5° 32mm

1150124

- Grey, PP-material
- According to BS EN 1451



About GF HT-PP elbow 87,5°

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP elbow 87,5° 32mm

1150124



Status

Item Available From date 2026-03-01

Product code

Item no EAN	8698652045641
Item no GF	4901103200421
Item no GTIN	08698652045641
Item no VVS	186114032

Dimensions

Item Unit Height	80
Item Unit Length	45
Item Unit Weight	0,03
Item Unit Width	110
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900553520
Packaging GTIN PL2	06414900230889
Packaging GTIN PL4	06414900104272
Packaging Height PL1	80
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	45
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	1000
Packaging Quantity PL4	6000
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,000396
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,03
Packaging Weight PL2	30
Packaging Weight PL4	205
Packaging Width PL1	110
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	16
Z Measurement d	32
Z Measurement d1	32
Z Measurement d2	39,8
Z Measurement e	1,8
Z Measurement L1	33,9
z1	16,1
Z2	16,1

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com