


GF HT-PP elbow 45° 50mm

1150132

- Grey, PP-material
- According to BS EN 1451



About GF HT-PP elbow 45°

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP elbow 45° 50mm

1150132



Status

Item Available From date

2026-03-01

Product code

Item no EAN 8698652031835

Item no GF 4901105002221

Item no GTIN 08698652031835

Item no VVS 186154050

Dimensions

Item Unit Height 140

Item Unit Length 77

Item Unit Weight 0,076

Item Unit Width 105

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900555029

Packaging GTIN PL2 06414900230964

Packaging GTIN PL4 06414900103763

Packaging Height PL1 140

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 77

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 300

Packaging Quantity PL4 1800

Packaging Type PL1 Piece

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0011319
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,076
Packaging Weight PL2	22,8
Packaging Weight PL4	161,8
Packaging Width PL1	105
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	16
Z Measurement d	50
Z Measurement d1	50
Z Measurement d2	59,6
Z Measurement e	1,8
Z Measurement L1	49,4
z1	10,4
Z2	10,4

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com