


GF HT-PP elbow 67,5° 50mm

1150133

- Grey, PP-material
- According to BS EN 1451



About GF HT-PP elbow 67,5°

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP elbow 67,5° 50mm

1150133



Status

Item Available From date 2026-03-01

Product code

Item no EAN	8698652041100
Item no GF	4901105002321
Item no GTIN	08698652041100
Item no VVS	186134050

Dimensions

Item Unit Height	135
Item Unit Length	77
Item Unit Weight	0,067
Item Unit Width	115
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555036
Packaging GTIN PL2	06414900230971
Packaging GTIN PL4	06414900103770
Packaging Height PL1	135
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	300
Packaging Quantity PL4	1800
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,001195425
Packaging Volume PL2	0,192
Packaging Volume PL4	1,152
Packaging Weight PL1	0,067
Packaging Weight PL2	20,1
Packaging Weight PL4	145,6
Packaging Width PL1	115
Packaging Width PL2	600
Packaging Width PL4	800

Measurements

Wall thickness_s	16
Z Measurement d	50
Z Measurement d1	50
Z Measurement d2	59,6
Z Measurement e	1,8
Z Measurement L1	49,4
z1	16,7
Z2	16,7

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com