


## GF HT-PP elbow 15° 110mm

**1150140**

- Grey, PP-material
- According to BS EN 1451



### About GF HT-PP elbow 15°

#### Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP elbow 15° 110mm

1150140



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN	8698652041049
Item no GF	4901111004021
Item no GTIN	08698652041049
Item no VVS	186174110

### Dimensions

Item Unit Height	161
Item Unit Length	135
Item Unit Weight	0,22
Item Unit Width	138
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900601788
Packaging GTIN PL2	06414900231046
Packaging GTIN PL4	06414900103978
Packaging Height PL1	161
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	135
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	60
Packaging Quantity PL4	360
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00299943
Packaging Volume PL2	0,192
Packaging Volume PL4	1,152
Packaging Weight PL1	0,22
Packaging Weight PL2	13,2
Packaging Weight PL4	104,2
Packaging Width PL1	138
Packaging Width PL2	600
Packaging Width PL4	800

## Measurements

Wall thickness_s	16
Z Measurement d	110
Z Measurement d1	110
Z Measurement d2	121,2
Z Measurement e	3,4
Z Measurement L1	61,2
z1	7,2
Z2	7,2

## Technical documents

Download documents here

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com