


## GF HT-PP reducer eccentric 50-40mm

**1150185**

- Grey, PP-material
- According to BS EN 1451



### About GF HT-PP reducer eccentric

#### Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP reducer eccentric 50-40mm

1150185



### Status

Item Available From date

2026-03-01

### Product code

Item no EAN	8698652047348
Item no GF	4901405017021
Item no GTIN	08698652047348
Item no VVS	186511049

### Dimensions

Item Unit Height	116
Item Unit Length	58
Item Unit Weight	0,046
Item Unit Width	58
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900601603
Packaging GTIN PL2	06414900231497
Packaging GTIN PL4	06414900105125
Packaging Height PL1	116
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	58
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	500
Packaging Quantity PL4	3000
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,000390224
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,046
Packaging Weight PL2	23
Packaging Weight PL4	163
Packaging Width PL1	58
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Wall thickness_s	16
Z Measurement d	50
Z Measurement d1	40,5
Z Measurement d2	49,6
Z Measurement e	1,8
Z Measurement h	4,8
Z Measurement L1	55
z1	8,7

## Technical documents

Download documents here

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com