


GF HT-PP reducer eccentric 75-50mm

1150186

- Grey, PP-material
- According to BS EN 1451



About GF HT-PP reducer eccentric

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP reducer eccentric 75-50mm

1150186



Status

Item Available From date

2026-03-01

Product code

Item no EAN	8698652031934
Item no GF	4901407517121
Item no GTIN	08698652031934
Item no VVS	186511073

Dimensions

Item Unit Height	125
Item Unit Length	82
Item Unit Weight	0,076
Item Unit Width	82
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554534
Packaging GTIN PL2	06414900231503
Packaging GTIN PL4	06414900105156
Packaging Height PL1	125
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	82
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	200
Packaging Quantity PL4	1200
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0008405
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,076
Packaging Weight PL2	15,2
Packaging Weight PL4	116,2
Packaging Width PL1	82
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	16
Z Measurement d	75
Z Measurement d1	50,5
Z Measurement d2	59,6
Z Measurement e	2,3
Z Measurement h	12,2
Z Measurement L1	52,4
z1	14,6

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com