


GF HT-PP reducer eccentric 160-110mm

1150190

- Grey, PP-material
- According to BS EN 1451



About GF HT-PP reducer eccentric

Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP reducer eccentric 160-110mm

1150190



Status

Item Available From date

2026-03-01

Product code

Item no EAN	8698652031965
Item no GF	4901416017521
Item no GTIN	08698652031965
Item no VVS	186511157

Dimensions

Item Unit Height	180
Item Unit Length	170
Item Unit Weight	0,623
Item Unit Width	170
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555326
Packaging GTIN PL2	06414900231541
Packaging GTIN PL4	06414900105255
Packaging Height PL1	180
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	170
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	40
Packaging Quantity PL4	240
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,005202
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,623
Packaging Weight PL2	24,92
Packaging Weight PL4	174,52
Packaging Width PL1	170
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	16
Z Measurement d	160
Z Measurement d1	110,5
Z Measurement d2	121,2
Z Measurement e	4,9
Z Measurement h	24,7
Z Measurement L1	74,1
z1	19,9

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com