


## GF HT-PP sleeve socket 75mm

**1150197**

- Grey, PP-material
- According to BS EN 1451



### About GF HT-PP sleeve socket

#### Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP sleeve socket 75mm

1150197



### Status

Item Available From date

2026-03-01

### Product code

Item no EAN	8698652076119
Item no GF	4901507531821
Item no GTIN	08698652076119
Item no VVS	186543075

### Dimensions

Item Unit Height	100
Item Unit Length	90
Item Unit Weight	0,061
Item Unit Width	90
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900554558
Packaging GTIN PL2	06414900231619
Packaging GTIN PL4	06414900105385
Packaging Height PL1	100
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	90
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	200
Packaging Quantity PL4	1200
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00081
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,061
Packaging Weight PL2	12,2
Packaging Weight PL4	98,2
Packaging Width PL1	90
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Wall thickness_s	16
Z Measurement d	75
Z Measurement d1	75,5
Z Measurement d2	84,6
Z Measurement e	2,3

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com