


## GF HT-PP socket 110mm

**1150199**

- Grey, PP-material
- According to BS EN 1451



### About GF HT-PP socket

#### Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP socket 110mm

1150199



### Status

Item Available From date

2026-03-01

### Product code

Item no EAN	8698652032108
Item no GF	4901511031821
Item no GTIN	08698652032108
Item no VVS	186553110

### Dimensions

Item Unit Height	120
Item Unit Length	135
Item Unit Weight	0,259
Item Unit Width	135
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900602174
Packaging GTIN PL2	06414900231633
Packaging GTIN PL4	06414900105439
Packaging Height PL1	120
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	135
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	80
Packaging Quantity PL4	480
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,002187
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,259
Packaging Weight PL2	20,72
Packaging Weight PL4	149,32
Packaging Width PL1	135
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Wall thickness_s	16
Z Measurement d	110
Z Measurement d1	110,5
Z Measurement d2	121,2
Z Measurement e	5,3
Z Measurement L1	51
z1	3

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com