


GF HT-PP S siphon 45° 110mm

1150203

- Grey, PP-material
- According to BS EN 1451



About GF HT-PP S siphon 45°

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP S siphon 45° 110mm

1150203



Status

Item Available From date

2026-03-01

Product code

Item no EAN	8698652032146
Item no GF	4901611015021
Item no GTIN	08698652032146
Item no VVS	186593110

Dimensions

Item Unit Height	215
Item Unit Length	144
Item Unit Weight	1,22
Item Unit Width	350
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554442
Packaging GTIN PL2	06414900231671
Packaging GTIN PL4	06414900105538
Packaging Height PL1	215
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	144
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	20
Packaging Quantity PL4	120
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,010836
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	1,22
Packaging Weight PL2	24,4
Packaging Weight PL4	171,4
Packaging Width PL1	350
Packaging Width PL2	600
Packaging Width PL4	1000

Measurements

Wall thickness_s	16
Z Measurement d	110
Z Measurement e	3,4
Z Measurement L1	72,0

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavillion
 WD18 8GA, Watford
 UK

T +44 (0)1923 381212
 E
 customerservice.uk.bfs@georgfi
 scher.com