


## GF HT-PP socket plug 75mm

**1150207**

- Grey, PP-material
- According to BS EN 1451



### About GF HT-PP socket plug

#### Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP socket plug 75mm

1150207



### Status

Item Available From date

2026-03-01

### Product code

Item no EAN 8698652055374

Item no GF 4901907540821

Item no GTIN 08698652055374

Item no VVS 186523075

### Dimensions

Item Unit Height 50

Item Unit Length 85

Item Unit Weight 0,059

Item Unit Width 85

Item\_UOM pce

### Packaging

Packaging GTIN PL1 06414900554565

Packaging GTIN PL2 06414900231718

Packaging GTIN PL4 06414900105606

Packaging Height PL1 50

Packaging Height PL2 400

Packaging Height PL4 1200

Packaging Length PL1 85

Packaging Length PL2 800

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 200

Packaging Quantity PL4 1200

Packaging Type PL1 Piece

Packaging Type PL2 Medium\_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00036125
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,059
Packaging Weight PL2	11,8
Packaging Weight PL4	95,8
Packaging Width PL1	85
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Wall thickness_s	16
Z Measurement d	75
Z Measurement d1	83,3
Z Measurement e	2,3
z1	2,6

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com