

## GF HT-PP pipe with double socket S20 110x500mm

**1150844**

- Where detailed Class is S20 to BS EN 1451
- Grey, monolayer, PP-material
- According to BS EN 1451



### About GF HT-PP pipe with double socket S20

#### Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP pipe with double socket S20 110x500mm

1150844



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN	8698652039268
Item no GF	4801011020621
Item no GTIN	08698652039268
Item no VVS	186077050

### Dimensions

Item Unit Height	110
Item Unit Length	500
Item Unit Weight	0,715
Item Unit Width	110
Item_UOM	pce

### Measurements

Length (l2)	65
Z Measurement b1	6
Z Measurement b2	6
Z Measurement d	120,6
Z Measurement d1	110,5
Z Measurement d3	110,5
Z Measurement d3	110,5
Z Measurement d4	120,6
Z Measurement e	2,7
Z measurement m	58

### Packaging

Packaging GTIN PL1	06414900553858
Packaging GTIN PL2	06414900233545
Packaging GTIN PL4	06414900249775

Packaging Height PL1	110
Packaging Height PL2	400
Packaging Height PL4	1300
Packaging Length PL1	500
Packaging Length PL2	800
Packaging Length PL4	1300
Packaging Quantity PL1	1
Packaging Quantity PL2	15
Packaging Quantity PL4	90
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00605
Packaging Volume PL2	0,192
Packaging Volume PL4	1,859
Packaging Weight PL1	0,715
Packaging Weight PL2	10,725
Packaging Weight PL4	89,35
Packaging Width PL1	110
Packaging Width PL2	600
Packaging Width PL4	1100

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 381212  
 E  
 customerservice.uk.bfs@georgfi  
 scher.com