


## GF HT-PP sleeve socket 32mm

**1150939**

- Grey, PP-material
- According to BS EN 1451



### About GF HT-PP sleeve socket

#### Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP sleeve socket 32mm

1150939



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN	8698652092102
Item no GF	4901503241521
Item no GTIN	08698652092102
Item no VVS	186543032

### Dimensions

Item Unit Height	90
Item Unit Length	38
Item Unit Weight	0,0265
Item Unit Width	38
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900601856
Packaging GTIN PL2	06414900234351
Packaging GTIN PL4	06414900106771
Packaging Height PL1	90
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	38
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	600
Packaging Quantity PL4	3600
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00012996
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,0265
Packaging Weight PL2	15,9
Packaging Weight PL4	120,4
Packaging Width PL1	38
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Z Measurement d	32,4
Z Measurement d1	32,5
Z Measurement d2	39,8
Z Measurement e	1,8

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com