


## GF HT-PP socket plug 32mm

**1150953**

- Grey, PP-material
- According to BS EN 1451



### About GF HT-PP socket plug

#### Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP socket plug 32mm

1150953



### Status

Item Available From date

2026-03-01

### Product code

Item no EAN	8698652055343
Item no GF	4901903241621
Item no GTIN	08698652055343
Item no VVS	186523032

### Dimensions

Item Unit Height	43
Item Unit Length	39
Item Unit Weight	0,01736
Item Unit Width	39
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900553681
Packaging GTIN PL2	06414900234498
Packaging GTIN PL4	06414900104197
Packaging Height PL1	43
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	39
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	1250
Packaging Quantity PL4	7500
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,000065403
Packaging Volume PL2	0,192
Packaging Volume PL4	1,44
Packaging Weight PL1	0,01736
Packaging Weight PL2	21,7
Packaging Weight PL4	155,2
Packaging Width PL1	39
Packaging Width PL2	600
Packaging Width PL4	1000

## Measurements

Z Measurement d	32
Z Measurement d1	40
Z Measurement e	1,8
z1	2,2

## Technical documents

Download documents here

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com